# diatostyle



# **Outdoor living**

Fully enjoy yourgarden



# **Outdoor living**

# Fully enjoy your garden

Outdoor living, a phrase that perfectly sums up the nature of our terrace sun protection systems. When the sun comes out, people are readily inclined to open all the doors and windows or go outdoors to enjoy the pleasant weather. But why would you stop at that? Increasing numbers of people opt to bring this sense of the outdoors into their own home, or at least a little closer.

Spending a little longer sitting outdoors with your family ora few close friends insummertime. The barbecue can be left on for a while, as the cork on the last bottle gets popped. This allows you to savour the sense of the great outdoors in your own garden. Our sun protection systems significantly boost your outdoor life without adoubt. Given all the options weoffer, there is always acustoms olution for your needs. This brochure offers you a closer introduction to our range.

Conservatory awn	ings	
Summerlight® Solidare®	Summerlight•SummerlightXL • SummerlightVerso •Summerlight VersoXL Solidare Veranda • Solidare Verso	4 6
Pergola awnings		
Piazzola <sup>®</sup> Solidare <sup>®</sup>	Piazzola Pergola Solidare Pergola	8 10
Freestanding awn	nings	
Cubola <sup>®</sup> Twins <sup>®</sup>	Twins • Twins Solidare	12 14
Tibelly® Acrylic fabric	List of acrylic fabrics for the abovementioned sun protection systems	16
Optional SolidScree	en® Vertical zip-guided screen	22
Tibelly® Screen fabri	C List of screen fabrics for SolidScreen	24
Certification	TÜV Nord	26

#### Conservatory awning



A conservatory awning is the generic term for separatesunprotectionsystems whichalso serveas thebasis ofall relatedsystems. Youmightoptfora conservatory awning if you already have a patio roof, but no sun protection system. We offer you various options.

### Pergola awning



The pergola awning iswell-known as the perfect solution. It is basicallyaconservatory awningon supports. Youmightopt for apergola awningifyou do not yet have a patio roof including a matching sun protection system. Weoffer youvarious options.

## Freestanding awning



Thenamefreestanding awning alreadyrevealswhat it is. These sun protection systems can be installed literally anywhere, because they are self-supporting. You might opt for a freestanding awning if you wish tofreely select thearea where shadeneedstobe created. We offer you various options.

0800 975 0064 www.diato.co.uk

# Tibelly in support for the Dutch Cancer Society (DCS)



For each meter of acrylic fabric sold, € 0,05 is donated to the Dutch Cancer Society (DCS). This supports scientificresearchagainst skincancer.For moreinformation, pleasevisitthe websitewww.kwf.nl/english. If you are curious about how much this campaign has already achieved, please check www.tibelly.nl.




# Summerlight® Conservatory awning



Summerlight, one of the first conservatory awnings to be successfully introduced to the market. And despite the fact that this old timer hasbeenaround for quite some time, it is by no means outdated.


This is due to the fact that the Summerlight has been further developed throughout the years. Four versionsofthisconservatory awningarecurrently available. The regular Summerlight model is installed on the terrace roof, with the headbox upwards. The Versomodelisinstalledontheterrace roof, withthe headbox downwards. There are also two XL models available, the dimensions of which are larger of course. Something to suit every possibility.

The Summerlight remains one of our customers favourite systems. A Summerlight does what it claims: Provides shade from the sun, while adding to the ambience. Nothing more, nothing less.



#### Characteristics

Heat and light-resistant
 Timeless design
 Spring mechanism keeps fabric tensioned
 Various fitting options





# Summerlight® products

Summerlight<sup>®</sup>

Summerlight® Verso

Summerlight® XL

Summerlight® Verso XL

# Certificates







# Maximum dimensions

	Width	Projection
Summerlight®	4500 mm	5000 mm
Summerlight® Verso	4500 mm	5000 mm
Summerlight® XL	6000 mm	4000 mm
Summerlight® Verso XL	6000 mm	4000 mm





# : SOLIDARE®

Conservatory awning

Solidare, a one of a kind shadow solution. This high quality conservatory awning is fitted with the zip technology, knownofour SolidScreen range.

This system offers numerous added advantages. For instance, the fabric is sealed around, without sagging sides (even insystems with largedimensions) and prevents illumination between the fabric and side guide. The Solidare conservatory awning is available in two models; The Solidare Veranda, which is installed upon the roof, and the Solidare Verso, which is installed beneath it.

A conservatory awning creates ambience, while serving as anaccessory toyourpatio roof. No matter which Solidare model you choose, you are nevertheless assured of a strong, high quality sun protection system.



#### Characteristics

Heat and light-resistant

Fabric completely sealed around


No illumination between the fabric and side guide

Various fitting options





# Solidare® products



Solidare®Verso

# Certificates






# Maximum dimensions

	Width	Projection
Solidare® Veranda	6000 mm	5000 mm
Solidare® Verso	6000 mm	4000 mm





Piazzola pergola awning. It's the total solution if you donotalready haveapatioroofinplace, because the system includes supports. Furthermore, it is an excellent alternative to a terrace awning in case that it is installed against a weak wall.

If youare looking for apatio roof includingmatching sunprotection system, then the Piazzolais theideal model for you. Its slim supports help minimise the amountofspaceoccupied, leaving youplentyof extent area to furnish beneath it according to your own particular taste.

The sum of the advantages that the Piazzola provides, namely a total solution for a reasonable price, has rendered it one of our customers' favourites.





#### Characteristics

Heat and light-resistant
Total solution
Slim supports
Canbelinkedforadditional shadingsurface





# Expand with

SolidScreen<sup>®</sup>


# Certificates





# Maximum dimensions

Width Projection 6000 mm 5000 mm Piazzola®



# : SOLIDARE®

### Pergola awning

The Solidare pergola awning, aname that might sound familiar. This time it applies to the pergola version of the Solidare system. This sun protection is also widely viewed as a total solution.

The difference between the Solidare and Piazzola pergola awning is that the Solidare fabric is guided using the zipper technology from our Solid Screen range. This implies that the fabric is completely sealed around, there is no illumination between the fabric and side guide, and the fabric is far less susceptible to sagging, even in large systems.

The Solidare pergola awningis, infact, simplya Solidare Veranda on supports. The Solidare Pergola also serves as an alternative to a terrace awning, in case that it is installed against a weak wall.





#### Characteristics

Heat and light-resistant

Total solution

Fabric completely sealed around

No illumination between the fabric and side guide





# Expand with

SolidScreen<sup>®</sup>

# Certificates







# Maximum dimensions

	Width	Projection
Solidare® Pergola	6000 mm	5000 mm





Cubola the versatile design freestanding awning named after 'cubo', which is the Italian word for cube. Thename relatesdirectly toitsappearance, as the Cubola is either square or rectangular and has four characteristic square supports.

Thanks to its unique design, this awning can be almost effortlesslyincorporatedinany homeenvironment. The Cubola's adjustable frontpannel allows it to be opened in a vertical or diagonal position, and everything in between.

DoyouwishforafreestandingCubola? ACubola installed against a wall? Or even several Cubolas connected together? All of these options are available. Please ask your dealer about the extensive possibilities.




#### Characteristics

Square supports

Adjustable frontpannel


Freestanding and wall-mounted installation

Can be linked (also around corners)





# Expand with



# Certificates



# Maximum dimensions



Cubola (linkable) 6000 mm 4000 mm 3000 mm



TWINS
Freestanding awning

Twins is a freestanding awning that was originally intended for the commercial market. However, this doesnotimply thatit is onlysuitable forsuch application. This freestanding awning can also be installed at your own home.

The characteristic feature of the Twins is that it offers unobstructed passage beneath the awning, regardless of whether it is open or closed. The supports have also beenkeptasslim as possible, in order toavoidany loss of valuablespace.

Twinsisavailablein two versions, oneofwhichisa low-budget solution. The other is the Twins Solidare, a zip-guided sun protection system which can provide a quite considerable area of shade. The choice is up to you.

#### Characteristics

Heat and light-resistant

Installable as a freestanding awning

Unobstructed passage beneath the awning

Installable side by side for additional shading surface





# Twins® products

Twins®

Twins®Solidare®

#### Certificates















#### Maximum dimensions

Twins® 6000 mm 3000 mm x2


Twins® Solidare® 6000 mm 5000 mm x2

Width


Projection







T100 white Uni	T135 parchment tweed Uni	T119 blue Uni
T127 pearl tweed Uni	T102 beige Uni	T120 navy Uni
T121 light grey Uni	T133 sand chiné tweed Uni	T132 lime green Uni
T138 light grey chiné Uni	T366 taupe Uni	T117 forest green Uni
T122 grey Uni	T128 sepia tweed Uni	T384 anthracite/grey Block 15 cm
T136 stone tweed Uni	T134 brown Uni	T386 grey/light grey Block 15 cm
T367 slate Uni	T107 yellow Uni	T362 black/cream Block 15 cm
T139 dark grey chiné Uni	T109 ochre Uni	T356 grey/cream Block 15 cm
T131 carbon Uni	T340 orange Uni	T507 black/cream Block 10 cm
T365 charcoal tweed Uni	T112 traffic red Uni	T515 grey/cream Block 10 cm
T368 black Uni	T113 ruby red Uni	T503 grey/white Block 10 cm
T103 naturel Uni	T114 burgundy Uni	T254 anthracite/cream Fantasie Meierij
		T212 grey/light grey Fantasie Kempen
The fabric colours shown in this brochure	can slightly differ from the reality due to the printin	g devi



T251 grey/charcoal Fantasie Kempen	T501 yellow/white Block 10 cm	T253 blue/cream Fantasie Meierij
T263 grey Fantasie Salland	T264 orange Fantasie Salland	T320 blue Fantasie Beemster
T273 grey Fantasie Veluwe	T274 orange Fantasie Veluwe	T266 blue Fantasie Salland
T402 anthracite Fantasie Betuwe	T416 orange Fantasie Betuwe	T276 blue Fantasie Veluwe
T451 grey Fantasie Marne	T156 red/cream Block 15 cm	T414 blue Fantasie Betuwe
T382 sand/beige Block 15 cm	T509 red/cream Block 10 cm	T388 green/light green Block 15 cm
T513 sand/cream Block 10 cm	T511 burgundy/cream Block 10 cm	T352 green/cream Block 15 cm
T256 beige/cream Fantasie Meierij	T323 red Fantasie Beemster	T517 green/cream Block 10 cm
T214 sand/beige Fantasie Kempen	T265 red Fantasie Salland	T255 green/cream Fantasie Meierij
T252 taupe/brown Fantasie Kempen	T275 red Fantasie Veluwe	T322 green Fantasie Beemster
T453 beige Fantasie Marne	T390 navy/blue Block 15 cm	T267 green Fantasie Salland
T358 ochre/yellow Block 15 cm	T354 blue/cream Block 15 cm	T277 green Fantasie Veluwe
T521 ochre/yellow Block 10 cm	T519 blue/cream Block 10 cm	T408 green Fantasie Betuwe

# SOLID B SCREEN

Optional: vertical screen



Screens, atypeofexterior sunprotection that has become hugely popular during the past few years. The SolidScreen owesboth itsnameand characteristics to its zip-guided fabric. Several versions are available. If you are interested in further details, we suggest that you consult the specific information and documents available on the SolidScreen.


This brochure focuses solely on the application of the SolidScreen in our terrace awnings. The SolidScreen is also perfectly suited for use in our pergola awnings, freestanding awnings and patio roofs.

ASolidScreen fitted inour freestanding awnings excludesboth the rising andsetting sun. Another function which is often overlooked is that the SolidScreen also serves as a high quality windbreaker whenfullyclosed. Thisenables youtorelaxinyour garden, in complete peace and quiet.



#### Characteristics

Heat and light-resistant
Unobstructed outside view
Wind-resistant up to 145 km/h





# Applicable sun protection systems

Pergola awning

Freestanding awning

Patio roofs

# Certificates






# Maximum dimensions

	Width	Height
SolidScreen®	6000 mm	3000 mm





# Tibelly® Sergé

T71818 plain black	T70841 grey-white-pearl	T71812 black-sand
T70818 grey-black	<b>T70801</b> grey-white	<b>T70812</b> grey-sand
T71848 black-grey-flax	T71701 pearl-white	T70826 grey-caramel
Tribito black groy max		170620 grey-caramer
T71308 bronze-grey	T70141 white-white-pearl	T71816 black-flax
	A string and forthy and forthy and forthy and forthy that string, that or the constitution of the control of th	
T70808 plain grey	T70101 plain white	T71716 pearl-flax
T71708 pearl-grey	T71813 black-bronze	T71745 pearl-white-sand
T71717 plain pearl	T71313 plain bronze	
171717 plani pean	171313 plain biorize	T71212 plain sand
T71608 flax-grey	T71213 sand-bronze	T71616 plain flax
		1/1010 plaiii ilax

Tibelly® ecole1%



T71201 sand-White	T70802 grey-green	T31818 plain black
T71601 flax-White	T71315 bronze-lime	T31808 black-grey
T71111 plain dark blue	<b>T71881</b> jamaica	T30818 grey-black
T70811 grey-dark blue	T70803 grey-yellow	T30808 plain grey
T71711 pearl-dark blue	T71203 sand-yellow	<b>T30812</b> grey-sand
T70867 pacific	T71305 bronze-mandarin	T31708 pearl-grey
T70806 grey-light blue	T70805 grey-mandarin	<b>T30801</b> grey-white
T71622 flax-dark green	T70809 grey-orange	T31701 pearl-white

The fabric colours displayed in this brochure may deviate slightly from the true colours.







We set great store by quality. All our sun protection products are compliant with the CE standards. And, since the year 2000, have been subjected to extensive testing by the TÜV Nord Group. This is carried out in accordance with the DIN EN 13561:2009-01 standard. Our terrace awnings are tested to the basis of three criteria:

- · Lifespan class
- · Waterload class
- · Wind resistance class







#### Lifespan class according DIN EN 13561:2009-01

Lifespan expresses the number of extension and retraction movements that an exterior sun protection system can withstand. The overview belowindicates the various classes applicable in accordance with the EN 13561:2009-01 standard.

Number of movements	Class 1	Class 2	Class 3	
Open and closed	3.000	7.000	10.000	

#### Waterload class according DIN EN 1933:1999-03

Waterload expresses the amount of water in liter/m² per hour that an exterior sunprotection awning can resist. This indicates, the quantity rainfall which a fully open sun protection system with a slope of 14º (Corresponds to a slope of 25%) must be able to drain. The following list shows which water load classes there are.

Waterload class	Class 1	Class 2
Quantity rainfall	17 liter/m² per hour	56 liter/m² per hour



#### Wind resistance class according DIN EN 1932:2013-09

Wind load is the maximum force of the wind which an opened exterior sun blind can resist. The overview below indicates the various wind resistance classes.

Wind resistance class	Class 0	Class 1	Class 2	Class 3
Beaufort scale	< 4	4	5	6
V (km/h) (maximum)	< 28 km/h	28 km/h	38 km/h	49 km/h
V (m/s) (maximum)	< 7,8 m/s	7,8 m/s	10,5 m/s	13,6 m/s
Nominal test pressure p (N/m²)	< 40	40	70	110
Safety test pressure 1,2 p (N/m²)	< 48	48	84	132

#### Example:

Wind resistance class 1 = Beaufort-scale class 4 = wind speed of max. 28 km/h of 7,8 m/s = pressure of 40 Newton per m<sup>2</sup>.

#### Patio roofs according DIN EN 1090-2:2008/A1:2011

On 2 June 2014 the entire production process of the patio roofs Piazza and Stanza hasbeen fullyreviewed byTÜV Netherlands. Based on a positive review of all safety and quality requirements, Piazza and Stanza cover the certificate of conformity according to product standard NEN EN 1090-2:2008/A1:2011.

#### Static calculations of patio roofs

The static calculations maximum free span are available through your dealer, ask for more information.



# diatostyle

0800 975 0064 www.diato.co.uk

